



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/698,599	10/31/2003	Joakim Wigstrom	58312 (47137)	5994
21874	7590	07/09/2008		
EDWARDS ANGELL PALMER & DODGE LLP				
P.O. BOX 55874				
BOSTON, MA 02205				
EXAMINER				
NEGIN, RUSSELL SCOTT				
ART UNIT		PAPER NUMBER		
1631				
MAIL DATE		DELIVERY MODE		
07/09/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/698,599

Applicant(s)

WIGSTROM ET AL.

Examiner

RUSSELL S. NEGIN

Art Unit

1631

Period for Reply -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 April 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-161 is/are pending in the application.
- 4a) Of the above claim(s) 7 and 35 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6, 8-34 and 36-161 is/are rejected.
- 7) ☒ Claim(s) 40, 57, 69, 75, 93, 123, 133, 145 and 152 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 May 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Final Drawing Review (PTO-848)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 3/12/04; 10/15/04; 2/14/05
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Election/Restrictions

Applicant's election of Species B, D, and G in the reply filed on 10 April 2008 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

Claims 7 and 35 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected Species, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on 10 April 2008.

Claims 1-161 are pending, and claims 1-6, 8-34, and 36-161 are examined in the instant application.

Information disclosure statements

The information disclosure statements filed on 3/12/04, 10/15/04, and 2/14/05 have been considered. It is noted that patent #AE on the IDS of 10/15/04 is a duplicate already cited in the previous IDS.

Claim Objections

Claim 145 is objected to because of the phrase on the fourth line "a computer program product **for according to** any of claims 1-3" which need grammatical correction.

Claims 40, 57, 69, 75, 93, 123, 133, and 152 are objected to because of the following informalities: Each of these claims does not end with a period. Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 8, 15-18, 24-25, 27, 38-39, 43-51, 54-57, 60-61, 67-73, 78-80, 85, 87-93, 100-102, 105, 107-117, 120-121, 124, 126, 131, 134, and 161 are rejected under 35 U.S.C. 102(b) as being anticipated by Klein et al. [US Patent 5,413,686; issued 9 May 1995; filed 17 July 1992].

Claim 1 is drawn to a computer program product comprising a computer readable medium having computer readable program code embodied in the medium for causing an application program to execute on a computer, wherein the program product comprises instructions for controlling one or more functions of a microfluidic substrate in response to received data regarding one or more substrate properties.

Klein et al. teaches a multi-channel automated capillary electrophoresis analyzer.

Specifically, Figure 8 and column 10, lines 22-45 of Klein et al. teach the computerized limitations behind the capillary electrophoresis system. Specifically, this section teaches computer program product comprising a computer readable medium

Art Unit: 1631

causing operation of the computer (in the case of Klein et al. the computer controlling the CE apparatus is an IBM with a floppy disk). The substrate in this instance is the capillary itself, and the properties being measured relate to flow of liquid through the capillary (see Figure 3 of Klein et al.).

With regards to claims 8, 15-16, and 87-88, Klein et al. illustrates movement of an aqueous liquid from a reservoir through the capillary into a second reservoir in Figure 3.

With regards to claims 17 and 89, Klein et al. is a capillary electrophoresis procedure that applies electric fields to capillaries [see abstract of Klein et al.]

With regards to claims 18 and 38, Klein et al. teaches the computerized limitations governing the electrophoresis in Figure 8 and column 10, lines 22-45 of Klein et al.

With regards to claims 24-25, 48-49, 51, 93, 100-101, and 105, Figure 6 of Klein et al. illustrates automated delivery of four fluids to the capillaries, including flow of buffer. The buffer includes ionic NaOH. This buffer is a component of the filled capillary.

With regards to claims 27, 110, 114-117 and 121, the abstract indicates use of a vacuum to regulate pressure and help move liquid in the capillary channel.

With regards to claims 39, 50, 109 and 120, Klein et al. teaches modifications that cause temperature of the capillary to be adjusted in column 15, lines 46-55.

With regards to claims 43-47, 107-108 and 111-113, Figure 8 of Klein et al. teaches a processor in communication with a macroscale device that is in communication with a microfluidic device. Figure 8 also illustrates a power supply. This apparatus performs capillary electrophoresis using a voltage and a current to the substrate (i.e. a capillary channel).

With regards to claims 54-57, 60-61, 67-69, 73, 126, and 161 Figure 8 of Klein et al. illustrates a GUI in the form of a monitor that regulates and displays results of the CE in response to user commands and acquires, retrieves, and manages data from the CE apparatus. Additionally, Figure 8 is viewed as a microfluidics workstation linked to a microfluidic substrate (i.e. the capillaries). Figure 8 also illustrates a memory board.

With regards to claims 70-72 and 85, column 10, lines 58-64 of Klein et al. teaches use of an electrical current monitoring resistor to monitor and regulate current

Art Unit: 1631

and voltage across the capillary substrate in response to feedback or a user or data acquisition system.

With regards to claims 78-80, 90-92 and 131, the apparatus in Klein et al. is a macroscale device regulated by a power supply as illustrated in Figure 8 of Klein et al. and receives instructions from the computer. Furthermore, the electrical power supply illustrated in Figure 8 is regulated by the computer system to generate the desired electric field across the capillary.

With regards to claim 102, the abstract of Klein et al. teaches a plurality of substrates (i.e. capillaries) in the apparatus.

With regards to claim 124, Figure 3 of Klein et al. illustrates use of a UV light source to monitor the contents of the capillary.

With regards to claim 134, the cover Figure of Klein et al. illustrates a circular stage for receiving substrate molecules that is rotatable in a circular (i.e. x and y directions).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 1631

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

35 U.S.C 103 Rejection #1:

Claims 2-6, 8-13, 15-18, 24-33, 36-39, 43-94, 97-98, 100-122, 124, 126-134, 137-139, 142-149, 151, 153-155, and 159-161 are rejected under 35 U.S.C. 103(a) as being unpatentable over Klein et al. as applied to claims 1, 8, 15-18, 24-25, 27, 38-39, 43-51, 54-57, 60-61, 67-73, 78-80, 85, 87-93, 100-102, 105, 107-117, 120-121, 124, 126, 131, 134, and 161 above, and further in view of Agilent [Agilent capillary electrophoresis system; brochure; 12 pages; published 1 September 2001].

Claim 2 is drawn to the same subject matter as instant claim 1 with the additional limitation of controlling one or more functions of a microfluidic substrate in response to

received data regarding one or more properties of a sensor in fluid communication with at least one microchannel of the substrate.

Claim 3 is drawn to the same subject matter as instant claim 1 with the additional limitations of controlling one or more functions of a microfluidic substrate, including instructions for controlling scanning of a sensor relative to an outlet of at least one microchannel in the substrate.

Klein et al. teaches a multi-channel automated capillary electrophoresis analyzer, as set forth above.

However, Klein et al. does not teach scanning of sensors or instructions for controlling the scanning of sensors.

Agilent is a brochure describing the benefits of using an Agilent capillary electrophoresis system for measuring biomolecules. Specifically, the fourth page of the brochure measures the migration time of an oligonucleotide sensor. The brochure itself gives instructions for detecting sensors using the CE apparatus in the form of specifications on the penultimate page of the brochure.

With regards to claims 4, 6, 26, 52, 65, and 76, the fourth page of the Agilent brochure indicates the movement of oligonucleotide sensors and buffer through the capillary substrate in a continuous manner.

With regards to claim 5 and 103-104, the abstract of Klein et al. indicates the plurality of capillary substrates. The Agilent brochure indicates, as discussed above, movement of the sensor through the capillary. When buffer is delivered to each of the channels (as in Klein et al.), there is buffer delivered to each adjacent capillary (i.e. capillaries with sensors/agents).

With regards to claims 9-11 and 53, Figure 3 of Klein et al. illustrates a UV detector that scans near the output of the capillary substrate. The Agilent brochure indicates, as discussed above, movement of the sensor through the capillary. The figure on the fourth page of the Agilent brochure illustrates signal data.

With regards to claims 12-13, the fifth page of the Agilent brochure indicates the physiological response of the production of DNA and protein resulting from PCR hybridization reaction with PCR agents.

With regards to claims 28, 32-33 and 36-37, instructions for delivering agent/buffer to the capillary system are illustrated in the monitor on the second page of

Art Unit: 1631

the Agilent brochure. The computer has a memory. The figure on the fourth page of the Agilent brochure illustrates response data.

With regards to claims 29-30, the abstract of Klein et al. teaches a plurality of capillaries and the fourth page of the Agilent brochure illustrates the result of delivery of an agent to a capillary substrate.

With regards to claim 31, the fourth page of the Agilent brochure indicates a change in amount of oligonucleotide added the capillary substrate (i.e. the intensities of each electropherogram differ depending on whether aqueous or organic solvent is used with the oligonucleotides).

With regards to claim 58, the third page of the Agilent brochure indicates a linearity in the scanning process for capillary electrophoresis.

With regards to claim 59, the second page of the Agilent brochure indicates the presence of the sensor in the capillary.

With regards to claims 62-64, the fluids/sensor in the capillary substrate are scanned continuously at the detector window near the output of the capillary and the time of the sensor migration is recorded in the fourth page of the Agilent brochure. Consequently, the recorded property is the migration time.

With regards to claim 66, electropherograms of proteins are illustrated in the fifth page of the Agilent brochure.

With regards to claim 74, the workstation illustrated on the second page of the brochure illustrates the instructions for performing the capillary electrophoresis.

With regards to claims 75 and 77, the ninth page of the Agilent brochure illustrates the CE-MS procedure with the MS abundances mapped to a database of biomolecular identifiers in the upper left corner of the figure on this ninth page with electropherograms.

With regards to claims 81-84 and 86, the second and third pages of the Agilent brochure illustrate a macroscale device comprising a detector for detecting response to a sensor in the form of signal data. The fourth page of the Agilent brochure illustrates a physiological response to oligonucleotides in which a mathematic operation is performed on the data after acquisition to generate the electropherogram.

With regards to claims 94 and 97-98, the electrophoresis apparatus in the third page of the Agilent brochure illustrates equipment in which an electric field applied to capillary substrate containing a sensor. Specifically, the monitor on the third page of the Agilent brochure allows input data regarding the agent (i.e. amount of agent to be used).

With regards to claims 118-119 and 122, the fifth page of the Agilent brochure illustrates the separation of a group of proteins wherein the capillary substrate comprises the protein sensor.

With regards to claim 127-130 and 138, the computer on the third page of the Agilent brochure illustrates a graphical user interface with a substrate and apparatus properties and function parameters which include application of the electric field or vacuum. Additionally, a representation of a substrate is shown in the third page of the Agilent brochure.

With regards to claims 132-133, the sensor in the CE system comprises a memory (see third page of Agilent brochure and Figures 3 and 8 of Klein et al.) recording the scanning data across fluid streams at a sensor location and sensor response as a function of time.

With regards to claim 137, the mouse on the Agilent computer system is interpreted to be a joystick.

With regards to claim 139, the fourth page of the Agilent brochure illustrates a selection of and an operation of the abundance as a function of migration time of the sensor in the capillary under an applied electrical field.

Claim 142 is further limiting wherein the system further comprises a first computer program product according to any of claims 1-3, a second computer program product comprising computer program code from acquiring data relating to properties of a sensor in fluid communication with at least one channel of the microfluidic substrate; and a data processing system for accessing the data relating to properties of the sensor and for providing the data to the first computer program product.

Claim 143 is further limiting wherein the instructions executed by the first program product affects the second program product.

The patent of Klein et al. documents the first computer system in Figure 8 and column 10, lines 20-45. The Agilent brochure details a second computer system used to detect the presence of a sensor in the capillary substrate channel.

With regards to claim 144, Klein et al. teaches use of a vacuum to regulate pressure in the abstract.

Claim 145 is further limiting wherein a sensor in fluid communication with at least one microchannel on a microfluidic substrate;

--providing data to a computer program product according to any of claims 1-3, wherein in response to the data provided, the computer program product provides instructions to a scanning mechanism to execute one or more scanning functions such that the substrate, the sensor, or the substrate and the sensor move relative to one

Art Unit: 1631

another, and/or such that pressure is altered in at least one microchannel of the substrate.

The fourth page of the Agilent brochure indicates the movement of oligonucleotide sensors and buffer through the capillary substrate in a continuous manner. The concentration of sensor varies with time as is measured when scanned by a UV detector proximate to the output of the capillary (see Figure 3 of Klein et al.). Additionally, Klein et al. describes a vacuum to regulate pressure in the capillary in the abstract.

With regards to claims 146 and 151, the capillary system in Agilent brochure (i.e. fourth page) indicates a fluid stream (i.e. buffer) with a sensor/agent (i.e. oligonucleotide) as a function of time.

With regards to claim 147, Klein et al. discloses an electrophoresis system with a plurality of capillary substrates. The Agilent brochure introduces sensors into the capillaries.

With regards to claims 148-149, Figure 6 of Klein et al. illustrates a pre-programmed set of four chemicals automatically inserted into the apparatus. The scans of sensors as a function of migration time are continuous and illustrated in the fourth page of the Agilent brochure.

With regards to claim 153-155 and 159, Figure 3 of Klein et al. and the abstract show the varying of pressure and the UV detection of the sensor (i.e. such as those disclosed in Agilent brochure) near the output of the capillary. The sensor is detected in response to UV light, and the flow of the surrounding fluid in the channel. The detection of the sensor is measured in response to an electrical field.

With regards to claim 160, the third page of the Agilent brochure illustrates a graphical user interface where there is data that is entered and the sensor is then scanned for optical properties.

It would have been to someone of ordinary skill in the art at the time of the instant invention to modify the capillary electrophoresis apparatus of Klein et al. by use of the sensors, agents, and capillary electrophoresis apparatus of the Agilent brochure wherein the motivation would have been that the use of a sensor gives the apparatus an entity with which to measure migration time [i.e. the Figure on the fourth page of Agilent]. Furthermore, the computer GUIs in Agilent give a further means of automation to the apparatus of Klein et al. Furthermore, the multiple capillaries in the apparatus with the computer system of Klein et al. enable multiple experiments (i.e. of sensors such as those in computer system/apparatus of Agilent) to be performed at once.

35 U.S.C. 103 Rejection #2:

Claims 14, 19-23, 99, and 156 are rejected under 35 U.S.C. 103(a) as being unpatentable over Klein et al. in view of the Agilent brochure as applied to claims 2-6, 8-13, 15-18, 24-33, 36-39, 43-94, 97-98, 100-122, 124, 126-134, 137-139, 142-149, 151, 153-155, and 159-161 above, and further in view of Colton et al. [Electrophoresis, 1998, volume 19, pages 367-382].

Claims 14, 19-20, 22 and 99 are further limiting comprising delivering an agent to a sensor.

Claim 21 is further limiting wherein a parameter of the agent comprises a property of the agent.

Claim 23 is further limiting wherein the data is dose-responderent.

Claim 156 is further limiting wherein the result is a different electrical charge for the sensor.

Klein et al. and Agilent make obvious a capillary electrophoresis system for detecting the presence and properties of sensors and analytes, as discussed above.

Klein et al. and Agilent do not describe interactions between the sensor and analyte in the capillary substrate.

The review of Colton et al. studies the technique of affinity capillary electrophoresis, which as illustrated in Figure 1 on page 369 shows how capillary electrophoresis is able to measure the binding constant between a receptor (i.e. sensor)

Art Unit: 1631

and a ligand (i.e. agent) by comparing the migration times of the receptor, ligand, and receptor-ligand complex. Figure 1 also illustrates that an electrical property (i.e. the charge) changes as a result of complex formation.

It would have been obvious someone of ordinary skill in the art at the time of the instant invention to modify the capillary electrophoresis apparatus of Klein et al. and Agilent by use of the affinity capillary electrophoresis of Colton et al. wherein the motivation would have been that by combining binding affinities (i.e. of agents relative to sensors) with capillary electrophoresis, a more advanced means for determining binding constants of physiologically relevant processes is developed [see introduction on pages 367-368 of Colton et al.].

35 U.S.C. 103 Rejection #3:

Claims 34, 40-42, 150, and 152 are rejected under 35 U.S.C. 103(a) as being unpatentable over Klein et al. in view of the Agilent brochure as applied to claims 2-6, 8-13, 15-18, 24-33, 36-39, 43-94, 97-98, 100-122, 124, 126-134, 137-139, 142-149, 151, 153-155, and 159-161 above, and further in view of Katayama et al. [Analytical Chemistry, 1998, volume 70, pages 2254-2260].

Claim 34 is further limiting wherein sensors are superfused at different time intervals according to instructions from the computer readable media.

Claim 40 is further limiting wherein the parameters are alters for the one or more functions in response to a measured condition of the microfluidic substrate or sensor.

Claim 41 is further limiting wherein the measured condition comprises an electrophoresis event.

Claim 42 is further limiting wherein the substrate function comprises time to complete scanning.

Claim 150 is further limiting wherein the sensor is paused during a given time interval.

Claim 152 is further limiting wherein he fluid streams provide interdigitating fluid streams of agent and buffer and the sensor is sequentially scanned across the fluid streams.

Klein et al. and Agilent make obvious a capillary electrophoresis system for detecting the presence and properties of sensors and analytes, as discussed above.

Klein et al. and Agilent do not teach superfusing, interdigitating, altering in response to a property of a sensor, or pausing during an electrophoresis run.

The study of Katayama et al. studies stable capillary coating with successive multiple ionic polymer layers. The "Procedure of SMIL coating" as taught in the paragraph bridging columns 1 and 2 of page 2255 includes pauses before each injection with buffered agents/sensors. Consequently, each layer is superfused at

different time intervals (i.e. see Figure 1 on page 2255 of Katayama et al.). The electrophoresis even being modified by successively (i.e. interdigitating) coating the capillary with ionic layers is to change in direction of the electroosmotic flow (again, see Figure 1 of page 2255 of Katayama et al.). Time to complete scanning is shown in Figure 5 of Katayama et al.

It would have been obvious to someone of ordinary skill in the art at the time of the instant invention to modify the capillary electrophoresis apparatus of Klein et al. and Agilent by use of the SMIL capillary coating procedure of Katayama et al. wherein the motivation would have been that the modifications (i.e. interdigitating, pausing) would have allowed a more advanced, regulated electrophoresis process with less interaction between the sensor/agent and the wall of the capillary [see for example, introduction on page 2254 of Katayama et al.]

35 U.S.C. 103 Rejection #4:

Claims 95-96, 123, 135-136, 140-141, and 157-158 are rejected under 35 U.S.C. 103(a) as being unpatentable over Klein et al. in view of the Agilent brochure as applied to claims 2-6, 8-13, 15-18, 24-33, 36-39, 43-94, 97-98, 100-122, 124, 126-134, 137-139, 142-149, 151, 153-155, and 159-161 above, and further in view of Jardemark et al. [Analytical Chemistry, 1997, volume 69, pages 3427-3434].

Claim 95-96 are further limiting wherein the electric field can electroporate a membrane of the cell structure.

Claims 123 and 157 are further limiting wherein the sensor comprises a cell or cell fraction.

Claims 135, 140, and 158 are further limiting wherein the workstation or program suite comprises executing patch clamp analysis. Claim 141 is further limiting comprising computer code for analyzing patch clamp data.

Claim 136 is further limiting comprising mechanisms for controlling movement of the stage.

Klein et al. and Agilent make obvious a capillary electrophoresis system (including computer code and computer readable media) for detecting the presence and properties of sensors and analytes, as discussed above.

Klein et al. and Agilent do not teach use of cells and patch clamp analysis.

The study of Jardemark et al. studies patch clamp detection in capillary electrophoresis.

Specifically, Figure 1 on page 3429 of Jardemark et al. illustrates the patch clamp procedure with the cellular components undergoing electrophoresis (i.e. the sensor comprises fragments of the cells). The caption of Figure 1 indicates that the setup is capable of being manipulated with "micromanipulators."

It would have been obvious to someone of ordinary skill in the art at the time of the instant invention to modify the capillary electrophoresis apparatus of Klein et al. and Agilent by use of the patch clamp capillary electrophoresis apparatus of Jardemark et al. wherein the motivation would have been that this patch clamp method on cells is useful in fractionating biological tissues and can sense very low concentration and

Art Unit: 1631

small-sized analytes (see penultimate paragraph of the introduction on page 3428 of Jardemark et al.).

35 U.S.C. 103 Rejection #5:

Claim 125 is rejected under 35 U.S.C. 103(a) as being unpatentable over Klein et al. in view of the Agilent brochure as applied to claims 2-6, 8-13, 15-18, 24-33, 36-39, 43-94, 97-98, 100-122, 124, 126-134, 137-139, 142-149, 151, 153-155, and 159-161 above, and further in view of Couderc et al. [Electrophoresis, 1998, volume 19, pages 2777-2790].

Claim 125 is further limiting wherein the light source is a laser in optical communication with a sensor in a microchannel.

Klein et al. and Agilent make obvious a capillary electrophoresis system for detecting the presence and properties of sensors and analytes, as discussed above.

Klein et al. and Agilent do not teach use of a laser in optical communication with a sensor.

The study of Couderc et al. teaches a CE apparatus with a laser induced fluorescence detector (see abstract of Couderc et al.)

It would have been obvious to someone of ordinary skill in the art at the time of the instant invention to modify the capillary electrophoresis apparatus of Klein et al. and Agilent by use of the LIF detector in Couderc et al. wherein the motivation would have been that using such a detector allows greater sensitivity and as a result less sensor amount (see introduction on page 2777 of Couderc et al.).

Conclusion

No claim is allowed.

Papers related to this application may be submitted to Technical Center 1600 by facsimile transmission. Papers should be faxed to Technical Center 1600 via the central PTO Fax Center. The faxing of such pages must conform with the notices published in the Official Gazette, 1096 OG 30 (November 15, 1988), 1156 OG 61 (November 16, 1993), and 1157 OG 94 (December 28, 1993)(See 37 CFR § 1.6(d)). The Central PTO Fax Center Number is (571) 273-8300.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Russell Negin, Ph.D., whose telephone number is (571) 272-1083. The examiner can normally be reached on Monday-Friday from 7am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's Supervisor, Marjorie Moran, Supervisory Patent Examiner, can be reached at (571) 272-0720.

Information regarding the status of the application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Art Unit: 1631

For more information on the PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/RSN/

Russell S. Negin, PhD.

7 July 2008

/Marjorie Moran/

Supervisory Patent Examiner, Art Unit 1631